

PC 3819 13 T-2FSH



Sample image

Order symbol : PC 3819 13 T-2FSH

Product nr : 2539543

UL Code : 2529543

UL Name : UL PC 3819 13T-2FSH

Description : Enclosure, PC



Remarks : Transparent hinged cover

Including : Base with screws for mounting plate. cover with PUR gasket and polyamide cover screws.

EAN : 6418074052858

El. number :

- Finland : 3435750
- Denmark :
- Sweden : 2539543



Dimensions :

	Height	Width	Depth
mm :	380	190	130
inch :	14.96	7.48	5.12

Materials :

Material :	Polycarbonate
Base colour :	RAL 7035 -light grey
Cover colour :	Clear transparent
Gasket material :	Polyurethane

Temperatures :

Temperature °C (short term) :	-40 ... 120
Temperature °C (continuous) :	-40 ... 80
Temperature °F (short term) :	-40 ... 250

Accessories :

EKMZR	Extension frame, for enclosures: (380 x 190 x 50)
EKV 12	DIN-35 Mounting rail, for enclosures: (160 x 35 x 1)
EKV 32	DIN-35 Mounting rail, for enclosures: (335 x 35 x 1)
EKMVT	Mounting plate, for enclosures: (338 x 148 x 1)

Rating :

Ingress protection (EN 60529):	IP65;
Impact Resistance (EN 62262):	IK08;
Electrical insulation :	Totally insulated
Halogen free (DIN/VDE 0472, Part 815):	1
UV resistance :	UL 508
Flammability Rating :	UL 746C 5"

Temperature °F (continuous) : -40 ... 175

Glow Wire Test (IEC 695-2-1) °C : 960 °C
NEMA Class

Certificates :

Certificate NCS FI 30308

© Fibox Oy, Data subject to change without notice (printed: 13.10.2022)